## Borough of Butler

One Ace Road, Butler, New Jersey 07405


973-838-7200 x224 Zoning@ButlerBorough.com



# APPLICATION ZONING PERMIT


Survey must accompany ALL Applications for a Zoning Permit.

Block Lot Street Address					
Property Owner				Contractor (if applicant)	
Name:				Name:	
Address:				Address:	
City, State, Zip:				City, State, Zip:	
Phone: Cell:					Cell:
Email:				Email:	
	Check all that apply	Fees	Description (additional	space on second page)	Dimensions
Residential					
	New Single Family House	\$50			Length Width
	New Two Family House	\$50			Height # Stories
					Lot Area Lot Coverage%
	Addition / Alteration	\$35			Length Width Height
					Lot Area Lot Coverage%
	Garage/Accessory Building Shed [200 sq. ft. or less]	\$35 \$10			Length Width Height
	Offed [200 sq. it. of less]	Ψ10			Lot Area Lot Coverage%
	Pool	\$25			☐ New Fence ☐ Deck around pool
_			Dimensions: L	_WH	☐ At least 10' from property lines
	Hot Tub	\$25			Dimensions
	Deck	\$25			Length Width Height
	Fence	\$10	Gate opens onto property Within 10 feet of driveway Front yard fence consists of no		☐ Front Yard Height
					☐ Side/Rear Yards Height
		010	more than 50% solid material.		Materials
Ш	Driveway	\$10			Length Width
	Air Canditioner	\$10	Size of Pad		% Coverage of Front Yard  Distance from:
	Air Conditioner Generator	\$10	Size of Fau		House Property Line
Non-Residential					
	Sign	\$25	☐ Freestanding Material	☐ Attached	☐ Rendering of Sign Attached Dimensions
	Awning	\$25	☐ Sign Attached to Awning		Dimensions
	Alterations	\$75	Attach Full Description with Dimensions		
	New Accessory Building	\$75	Attach Full Description with Dimensions		Attach Planning Board Resolution
	New Construction / Addition	\$100	Attach Full Description	on with Dimensions	Attach Planning Board Resolution
Prir	nt Applicant Name:		Signature:	Date:	



#### Provide a sketch that shows the following:

- 1. Location and dimensions of existing and proposed structures.
- 2. Distance between such structures and property lines, cross streets, rivers/streams, easements, etc.
- 3. Location of driveways and parking areas.
- 4. Location of well and septic systems if not connected to town utilities.
- 5. North Arrow.



# **Borough of Butler Pool, Deck & Fence Zoning Regulations**

#### § 143-140. SWIMMING POOLS, HOT TUBS AND SPAS.

- A. No private residential swimming pool, shall be constructed or installed on any lot unless the lot contains a residence building. Pools shall be located in rear yard areas only and shall in no case be located closer than ten (10) feet to any lot line
- B. A swimming pool shall occupy no more than fifty percent (50%) of the available rear yard area in which it is located
- C. A private residential swimming pool area must be surrounded by a suitable fence with a self-latching, self-closing, opening-out gate at least four (4) feet, but no more than six (6) feet, in height, and said fence shall not require a minimum setback from any lot line.
- D. No private residential hot tub or spa, either fixed or portable, shall be constructed or installed on any lot unless the lot contains a residential dwelling. Exterior hot tubs shall be permitted within the rear yard only and shall not be located closer than ten (10) feet to the property line.

#### § 143-141. FENCES AND WALLS.

On any lot in any district, no wall or fence shall be erected or altered so that said wall or fence shall be over four (4) feet in height in front yard areas except where otherwise restricted in a sight triangle easement pursuant to § 143-73R, and six (6) feet in height in side and rear yard areas, except that:

- A. Dog runs shall be located in rear yard areas only and shall be set back from any lot line at least ten (10) feet.
- B. A private residential swimming pool area must be surrounded by a fence at least four (4) feet, but no more than six (6) feet, in height. Swimming pool areas shall be located in rear yard areas only and said fence shall not require a minimum setback from any lot line.
- C. A tennis court area, located in rear yard areas only, may be surrounded by a fence a minimum of fifteen (15) feet in height, said fence to be set back from any lot line the distances required for accessory buildings in the individual zoning districts.
- D. Where fences are located within ten feet of a driveway or street intersection they shall not exceed three (3) feet for a distance of fifteen (15) feet beginning from the street property line.
- E. Any fence shall have the front, or "finished" side of the fence facing the adjoining property line and/or street right-of-way. All structural supporting mechanisms of the fence structure shall face the interior of the subject lot.
- F. In any residential or mixed-use district, fences within a required front yard shall consist of no more than fifty percent (50%) solid material and shall be equally distributed throughout the entire length of the fence.
- G. All solid and semi-solid fences shall be of a substantial wood, composite, vinyl, iron or aluminum construction and be structurally sound and able to withstand wind and weather. Solid and semi-solid fences shall be of stock, basket weave, picket or shadow board design. No fence shall be erected or contain barbed-wire, topped with

- H. Chain-link fences (minimum 11 gauge) are permitted within the side and rear yards only.
- I. No fence shall be constructed of materials, or combination of materials which are likely to collapse under a person or 100 pounds or less.
- J. All fences, including supporting posts or structures, must be located on the inside of the property line.
- K. Hedge rows, or similar vegetation planted for purposes of creating a full or partial barrier shall not exceed four (4) feet in height where located within fifteen (15) of the street right-of-way, nor three (3) feet in height where such plantings are located within a designated sight easement/triangle or within 25' of a street intersection.

For purpose of applying height limits, multiple, staggered or tiered walls, and/or wall/fence combinations shall be considered single units unless the minimum horizontal distance between the top of any section or tier shall be 10'.

The following fences and fencing materials are specifically prohibited:

Barbed wire

Short, pointed fences less than forty-eight (48) inches in height

Canvas

Cloth

Electrically charged

Poultry fences

Turkey wire

Temporary fences, such as snow fences, unless on construction sites

Expandable or collapsible fences, except during construction of a building.

No fence shall be multi-colored.

All entrances or gates shall open onto the property.

#### §143-135.1 DECKS AND PATIOS

Within all one and two family residential zones, decks and platforms, whether freestanding or attached to a building, when located in a rear or side yard, shall meet the following yard setback requirements as follows:

- A. The setbacks for decks and platforms may be reduced by 25% from the requirements in Schedule "D".
- B. Within all multi-family residential and non-residential zones, decks and platforms, whether freestanding or attached to a building, shall meet the side and rear yard setback requirements for the particular zone.
- C. Decks and platforms, whether freestanding or attached to a building are prohibited within the front yard and the side yards.
- D. Porches, as defined herein are permitted within the front yard but must meet the front yard setback requirements for principal buildings in that zone provided however, they are attached to principal building by a common wall.

### Survey must accompany ALL Applications for a Zoning Permit.